

	Ref #	Type	Hits	Search Text	DBs
1	S1	IS&R	6409	(335/216,296-299,302-306).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	S2	BRS	842266	removable removeable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
3	S3	BRS	42797	current near2 lead	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
4	S4	BRS	86	S2 with S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
5	S5	BRS	10143	superconducting near2 magnet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
6	S6	BRS	19	S4 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
7	S7	BRS	10471	liquid near2 helium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
8	S8	BRS	1850340	valve	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	S9	BRS	923	S7 same S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	S10	BRS	2	S6 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	S11	BRS	175	S5 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	S12	BRS	2	S4 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	S13	BRS	14306	(superconduct\$3 or (super adj conduct\$3) or super-conduct\$3) near3 magnet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	S14	BRS	446	(liquid adj helium) with (valve or regulator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	S15	BRS	44	S13 same S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	S16	BRS	9	("3839689" "4689439" "5220800").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
17	S17	BRS	4	S16 and (liquid adj helium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	S18	BRS	3	S16 and (valve or regulator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	S19	BRS	842565	removable removeable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
20	S20	BRS	42810	current near2 lead	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
21	S21	BRS	86	S19 with S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
22	S22	BRS	13	S21 same connector	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
23	S23	IS&R	2	("5220800").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	S24	IS&R	6482	(335/216,296-299,302-306).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
25	S25	BRS	870137	removable removeable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
26	S26	BRS	43697	current near2 lead	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
27	S27	BRS	87	S25 with S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
28	S28	BRS	13	S27 same connector	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
29	S29	BRS	43	("4223540" "4279127" "4689439" "4788502" "4827737" "4884410" "4974113" "5138383" "5235282" "5278503" "5426366" "5596303" "5644855" "5704967" "5731939" "6020803" "6097187" "6147844" "6212904" "6456073" "6680662" "6717781" "6727699" "6753748" "6806712" "6946936" "6990818").PN. OR ("2005/0077898" "2005/0204751" "2007/0182513" "2007/0271933" "2008/0236194" "2008/0242974" "5220800" "7064550" "7157999" "7395671").URPN.	US-PGPUB; USPAT; USOCR
30	S30	BRS	870137	removable removeable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
31	S31	BRS	43697	current near2 lead	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
32	S32	BRS	87	S30 with S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
33	S33	BRS	10451	superconducting near2 magnet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
34	S34	BRS	10705	liquid near2 helium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	S35	BRS	1902336	valve	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	S36	BRS	940	S34 same S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	S37	BRS	181	S33 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	S38	BRS	2	S32 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB